## What is claimed is:

1. A DVD player apparatus comprising:

an inner housing, in which a player body is incorporated and which is formed of an iron plate that serves as a shield plate, having a top plate, left and right side walls, and a rear wall, a front side of the inner housing being open;

a case for covering the inner housing, a front side of the case being open, the case having a top wall on which recesses for placing legs of a television set are provided at four positions on front and back sides thereof;

two left and right reinforcements, which are formed in a shape of square columns and whose upper ends are located in the vicinity of the top wall of the case and are closed, provided uprightly inside the case on both sides of the front side of the inner housing;

cabinet latching/attaching pieces for latching a front cabinet, which is attached to the front side of the case, respectively provided projectingly on the left and right reinforcements in such a manner as to be oriented forward; and

downwardly projecting portions for abutting against the top plate at positions above the left and right side walls of the inner housing to receive the load, the downwardly projecting portions provided on lower surface sides of the left and right recesses on the back side of the top wall of the case.

5

10

15

20

2. A DVD player apparatus comprising:

5

15

20

25

an inner housing, in which a player body is incorporated and which is formed of an iron plate that serves as a shield plate, having a top plate, left and right side walls, and a rear wall, a front side of the inner housing being open;

a case for covering the inner housing, a front side of the case being open, the case having a top wall on which legs of a television set are placed;

two left and right reinforcements provided projectingly

inside the case on both sides of the front side of the inner housing; and

downwardly projecting portions for abutting against the top plate at positions above the left and right side walls of the inner housing to receive the load, the downwardly projecting portions provided on lower surface sides of the left and right recesses on the back side of the top wall of the case.

- 3. The DVD player apparatus according to claim 2, wherein the top wall of the case has recesses for placing the legs of the television set, which are provided at four positions on front and back sides thereof;
- 4. The DVD player apparatus according to claim 1, wherein downwardly oriented reinforcing ribs for abutting against the top plate and the left and right reinforcements are provided

on the lower surface sides of the left and right recesses on the front side of the top wall.

- 5. The DVD player apparatus according to claim 3, wherein downwardly oriented reinforcing ribs for abutting against the top plate and the left and right reinforcements are provided on the lower surface sides of the left and right recesses on the front side of the top wall.
- 10 6. The DVD player apparatus according to claim 2, wherein each of the downwardly projecting portions is formed in a hollow elongated circular shape extending in a left-and-right direction, one end portion of the downwardly projecting portion is located on a lower side of the recess, while another end portion thereof 15 is located on an upper side of a corner of the side wall of the inner housing.
  - 7. The DVD player apparatus according to claim 5, wherein the downwardly projecting portions and the downwardly oriented reinforcing ribs are integrally formed with the case.
  - 8. The DVD player apparatus according to claim 5, wherein each of the downwardly projecting portions and the downwardly oriented reinforcing ribs does not have a corner or an edge.

20